



HYDAC Technology Corporation

2260 City Line Road,

Bethlehem, PA 18017

TOLL FREE: [877-GO-HYDAC](tel:877-GO-HYDAC) (464-9322)

Website: www.hydac-na.com

EPPENSTEINER (BRFS/EPE) Replacement Filter Elements



1 2

Part Number	Model Code	Absolute Filter Rating	Media Type	Seal	Outside Diameter	Length
<u>1295382</u>	7.0004 D 10 BN4	10 µm	BN/HC=Bet amicron® Low Collapse	Nitrile Rubber (NBR)	1.8 in 45 mm	3.3 in 83 mm
<u>1298606</u>	7.0013 R 10 BN4	10 µm	BN/HC=Bet amicron® Low Collapse	Nitrile Rubber (NBR)	2.4 in 60 mm	8.8 in 223 mm
<u>1303060</u>	7.0015 D 100 W	N/A	W=Stainless Steel Wire Mesh	Nitrile Rubber (NBR)	2.4 in 60 mm	6.8 in 173 mm

Part Number	Model Code	Absolute Filter Rating	Media Type	Seal	Outside Diameter	Length
1300855	7.0015 D 50 W	N/A	W=Stainless Steel Wire Mesh	Nitrile Rubber (NBR)	2.4 in 60 mm	2.9 in 73 mm
1282673	7.0030 D 06 BH4	6 µm	BH/HC=Bet amicon® High Collapse	Nitrile Rubber (NBR)	3.1 in 80 mm	9.8 in 250 mm
1277130	7.0045 D 10 BN4	10 µm	BN/HC=Bet amicon® Low Collapse	Nitrile Rubber (NBR)	3.1 in 80 mm	15.6 in 396 mm
2206235	7.0055 R 03 BN4 /-V	3 µm	BN/HC=Bet amicon® Low Collapse	Fluoroelastomer (FPM)	4.3 in 110 mm	22.40 in 569 mm
2206236	7.0058 D 20 BN4 /-V-B3	20 µm	BN/HC=Bet amicon® Low Collapse	Fluoroelastomer (FPM)	4.3 in 110 mm	33.6 in 853.5 mm
1302065	7.0059 D 06 BN4 /-B3	6 µm	BN/HC=Bet amicon® Low Collapse	Nitrile Rubber (NBR)	4.3 in 110 mm	43.3 in 1100 mm
1302066	7.0059 D 10 BN4 /-B3	10 µm	BN/HC=Bet amicon® Low Collapse	Nitrile Rubber (NBR)	4.3 in 110 mm	43.3 in 1100 mm
1323229	7.0120 R 01 BN4	1 µm	BN/HC=Bet amicon® Low Collapse	Nitrile Rubber (NBR)	N/A	N/A
1282651	7.0145 R 06 BN4	6 µm	BN/HC=Bet amicon® Low Collapse	Nitrile Rubber (NBR)	6.3 in 160 mm	15.7 in 400 mm
BN/HC=Bet						

Part Number	Model Code	Absolute Filter Rating	Media Type	Seal	Outside Diameter	Length
<u>2206234</u>	7.0270 R 03 BN4 /-V	3 µm	amicon® Low Collapse	Fluoroelastomer (FPM)	6.3 in 160 mm	38.9 in 989 mm
<u>1323230</u>	7.0270 R 05 BNK4	5 µm	BHK=Only Glass Fibers-Low Collapse	Nitrile Rubber (NBR)	6.3 in 160 mm	38.9 in 989 mm
<u>1277129</u>	7.0270 R 10 BNK4	10 µm	BHK=Only Glass Fibers-Low Collapse	Nitrile Rubber (NBR)	6.3 in 160 mm	38.9 in 989 mm
<u>1300184</u>	7.10 D 25 W	N/A	W=Stainless Steel Wire Mesh	Nitrile Rubber (NBR)	1.8 in 45 mm	1.3 in 34 mm
<u>1307525</u>	7.140 D 03 BN4	3 µm	BN/HC=Bet amicon® Low Collapse	Nitrile Rubber (NBR)	2.9 in 74 mm	5.8 in 148 mm
<u>1282676</u>	7.140 D 06 BH4	6 µm	BH/HC=Bet amicon® High Collapse	Nitrile Rubber (NBR)	2.9 in 74 mm	5.8 in 148 mm
<u>1278807</u>	7.1801 R 06 BN4	6 µm	BN/HC=Bet amicon® Low Collapse	Nitrile Rubber (NBR)	5.6 in 143 mm	29.7 in 754 mm
<u>1281367</u>	7.1801 R 10 BNK4	10 µm	BHK=Only Glass Fibers-Low Collapse	Nitrile Rubber (NBR)	5.6 in 143 mm	29.7 in 754 mm
<u>1308837</u>	7.1801 R 25 W	N/A	W=Stainless Steel Wire Mesh	Nitrile Rubber (NBR)	5.6 in 143 mm	29.7 in 754 mm
<u>1277187</u>	7.361 R 10 BN4	10 µm	BN/HC=Bet amicon® Low Collapse	Nitrile Rubber (NBR)	4 in 102 mm	9.1 in 231 mm

Part Number	Model Code	Absolute Filter Rating	Media Type	Seal	Outside Diameter	Length
<u>1300804</u>	7.460 D 20 BN4	20 µm	BN/HC=Bet amicron® Low Collapse	Nitrile Rubber (NBR)	2.9 in 74 mm	14.8 in 375 mm
<u>1283039</u>	7.460 D 200 W /-V	N/A	W=Stainless Steel Wire Mesh	Fluoroelasto mer (FPM)	2.9 in 74 mm	14.8 in 375 mm
<u>1278177</u>	7.561 R 06 BN4	6 µm	BN/HC=Bet amicron® Low Collapse	Nitrile Rubber (NBR)	5.6 in 143 mm	10.4 in 263 mm