



HYDAC Technology Corporation

2260 City Line Road,

Bethlehem, PA 18017

TOLL FREE: [877-GO-HYDAC \(464-9322\)](tel:877-GO-HYDAC)

Website: www.hydac-na.com

INTERNORMEN Replacement Filter Elements



1 2

| Part Number | Model Code | Absolute Filter Rating | Media Type | Seal | Outside Diameter | Length |
|----------------|--------------------|------------------------|--------------------------------------|----------------------------|-------------------|--------------------|
| <u>2077304</u> | 26.02.04 D 10 P | N/A | P=Polyester Fleece / Cellulose | Nitrile Rubber (NBR) | 3.9 in 99.7 mm | 4.6 in 116.8 mm |
| <u>2077420</u> | 26.02.04 D 20 P | N/A | P=Polyester Fleece / Cellulose | Nitrile Rubber (NBR) | 3.9 in 99.7 mm | 4.6 in 116.8 mm |
| <u>2077421</u> | 26.03.08 D 10 P | N/A | P=Polyester Fleece / Cellulose | Nitrile Rubber (NBR) | 6.9 in 175 mm | 8.3 in 212 mm |

| Part Number | Model Code | Absolute Filter Rating | Media Type | Seal | Outside Diameter | Length |
|--------------------------------|--------------------------------------|------------------------|---|----------------------------|------------------|-------------------|
| <u>1297457</u> | 8.1000 R 10 BN4 /-V- B3.5-KE25 | 10 µm | BN/HC=Bet amicron® Low Collapse | Fluoroelasto mer (FPM) | 6.3 in 159 mm | 15.7 in 400 mm |
| <u>1298480</u> | 8.1000 RN 06 BN4/-V | 6 µm | BN/HC=Bet amicron® Low Collapse | Fluoroelasto mer (FPM) | 6.3 in 160 mm | 15.7 in 398 mm |
| <u>1301515</u> | 8.150 D 06 BH4 | 6 µm | BH/HC=Bet amicron® High Collapse | Nitrile Rubber (NBR) | 1.8 in 45 mm | 11.2 in 284 mm |
| <u>1290369</u> | 8.150 D 10 BH4 | 10 µm | BH/HC=Bet amicron® High Collapse | Nitrile Rubber (NBR) | 1.8 in 45 mm | 11.2 in 284 mm |
| <u>1288570</u> | 8.150 D 10 BN4 | 10 µm | BN/HC=Bet amicron® Low Collapse | Nitrile Rubber (NBR) | 1.8 in 45 mm | 11.2 in 284 mm |
| <u>1295061</u> | 8.170 D 10 BH4 | 10 µm | BH/HC=Bet amicron® High Collapse | Nitrile Rubber (NBR) | 2.4 in 60 mm | 7.2 in 182 mm |
| <u>1295065</u> | 8.2001 R 03 BN4 | 3 µm | BN/HC=Bet amicron® Low Collapse | Nitrile Rubber (NBR) | 7.4 in 189 mm | 19.7 in 500 mm |
| <u>1286449</u> | 8.2001 R 10 BN4 | 10 µm | BN/HC=Bet amicron® Low Collapse | Nitrile Rubber (NBR) | 7.4 in 189 mm | 19.7 in 500 mm |
| <u>1290692</u> | 8.210 R 10 BN4 | 10 µm | BN/HC=Bet amicron® Low Collapse | Nitrile Rubber (NBR) | N/A | N/A |

| Part Number | Model Code | Absolute Filter Rating | Media Type | Seal | Outside Diameter | Length |
|--------------------------------|-------------------|------------------------|---|----------------------------|------------------|--------------------|
| <u>1286192</u> | 8.240 D 10 BH4 | 10 µm | BH/HC=Bet amicron® High Collapse | Nitrile Rubber (NBR) | 2.4 in 60 mm | 8.9 in 227 mm |
| <u>1289863</u> | 8.320 R 06 BN4 | 6 µm | BN/HC=Bet amicron® Low Collapse | Nitrile Rubber (NBR) | 2.8 in 70 mm | 12 in 304 mm |
| <u>1275633</u> | 8.320 R 10 BN4 | 10 µm | BN/HC=Bet amicron® Low Collapse | Nitrile Rubber (NBR) | 2.8 in 70 mm | 12 in 304 mm |
| <u>1298514</u> | 8.360 D 06 BH4 | 6 µm | BH/HC=Bet amicron® High Collapse | Nitrile Rubber (NBR) | 2.4 in 60 mm | 12.1 in 307 mm |
| <u>1321321</u> | 8.425 R 06 BN4 | 6 µm | BN/HC=Bet amicron® Low Collapse | Nitrile Rubber (NBR) | 2.4 in 60 mm | 15.7 in 400 mm |
| <u>1295241</u> | 8.450 D 03 BN4 | 3 µm | BN/HC=Bet amicron® Low Collapse | Nitrile Rubber (NBR) | 2.4 in 60 mm | 16.30 in 414 mm |
| <u>1287292</u> | 8.450 D 10 BN4 | 10 µm | BN/HC=Bet amicron® Low Collapse | Nitrile Rubber (NBR) | 2.4 in 60 mm | 16.30 in 414 mm |
| <u>1289634</u> | 8.60 D 10 BH4 | 10 µm | BH/HC=Bet amicron® High Collapse | Nitrile Rubber (NBR) | 1.7 in 44 mm | 4.3 in 109 mm |
| <u>1295081</u> | 8.60 D 10 BN4 | 10 µm | BN/HC=Bet amicron® Low Collapse | Nitrile Rubber (NBR) | 1.8 in 45 mm | 4.3 in 109 mm |

| Part Number | Model Code | Absolute Filter Rating | Media Type | Seal | Outside Diameter | Length |
|--------------------------------|-------------------|------------------------|---|----------------------------|------------------|-------------------|
| <u>1288286</u> | 8.631 R 10 BN4 | 10 µm | BN/HC=Bet amicron® Low Collapse | Nitrile Rubber (NBR) | 3.9 in 100 mm | 12.4 in 314 mm |
| <u>1291221</u> | 8.70 R 10 BN4 | 10 µm | BN/HC=Bet amicron® Low Collapse | Nitrile Rubber (NBR) | 1.8 in 45 mm | 6.7 in 170 mm |
| <u>1296922</u> | 8.90 D 06 BH4 | 6 µm | BH/HC=Bet amicron® High Collapse | Nitrile Rubber (NBR) | 1.7 in 44 mm | 6.8 in 173 mm |
| <u>1286193</u> | 8.900 D 03 BH4 | 3 µm | BH/HC=Bet amicron® High Collapse | Nitrile Rubber (NBR) | 3 in 77 mm | 19.5 in 496 mm |