



**HYDAC Technology Corporation**

2260 City Line Road,

Bethlehem, PA 18017

TOLL FREE: [877-GO-HYDAC \(464-9322\)](tel:877-GO-HYDAC)

Website: [www.hydac-na.com](http://www.hydac-na.com)

# KAYDON Replacement Filter Elements



1 2 3 4 5

Part Number	Model Code Description	Absolute Filter Rating	Media Type	Seal	Cap 1 Type	Cap 2 Type	Outside Diameter	Length
<u>2073781</u>	10.01.3 6 D 05 BN4	5 µm	BN/HC= Betamic ron® Low Collaps e	Nitrile Rubber (NBR)	O-Ring Cap	O-Ring Cap	4.4 in 112.5 mm	35.9 in 911 mm
<u>2075251</u>	10.01.3 6 D 10 BN4	10 µm	BN/HC= Betamic ron® Low Collaps e	Nitrile Rubber (NBR)	O-Ring Cap	O-Ring Cap	4.4 in 112.5 mm	35.9 in 911 mm

Part Number	Model Code Description	Absolute Filter Rating	Media Type	Seal	Cap 1 Type	Cap 2 Type	Outside Diameter	Length
<u>2087362</u>	10.02.1 4 R 20 BN4	20 µm	BN/HC= Betamic ron® Low Collaps e	Nitrile Rubber (NBR)	O-Ring Cap	O-Ring Cap	6 in 152.4 mm	14.5 in 368 mm
<u>7628376</u>	39QCLZ 10V,CO RELES S,ELEM ENT	N/A	Microgla ss	Fluoroel astomer (FPM)	O-Ring Cap	O-Ring Cap	152.4 mm	928.751 mm
<u>7628377</u>	39QCLZ 1V,COR ELESS, ELEM NT	N/A	Microgla ss	Fluoroel astomer (FPM)	O-Ring Cap	O-Ring Cap	152.4 mm	928.751 mm
<u>7628379</u>	39QCLZ 25VF,EL EMENT	N/A	Microgla ss	Fluoroel astomer (FPM)	O-Ring Cap	O-Ring Cap	152.4 mm	928.751 mm
<u>7628378</u>	39QCLZ 25V,CO RELES S,ELEM ENT	N/A	Microgla ss	Fluoroel astomer (FPM)	O-Ring Cap	O-Ring Cap	152.4 mm	928.751 mm
<u>7628380</u>	39QCLZ 3V,COR ELESS, ELEM NT	N/A	Microgla ss	Fluoroel astomer (FPM)	O-Ring Cap	O-Ring Cap	152.4 mm	928.751 mm
<u>7628382</u>	39QCLZ 5V,COR ELESS, ELEM NT	N/A	Microgla ss	Fluoroel astomer (FPM)	O-Ring Cap	O-Ring Cap	152.4 mm	928.751 mm
<u>7604976</u>	AS- 6000- 1810V,A NTISTA T,ELEM	N/A	Microgla ss - Anti- static	Fluoroel astomer (FPM)	Gasket Cap	Gasket Cap	150.876 mm	451.485 mm

Part Number	Model Code Description	Absolute Filter Rating	Media Type	Seal	Cap 1 Type	Cap 2 Type	Outside Diameter	Length
ENT								
<u>7630120</u>	AS-6000-183V,ANTISTAT,ELEMENT	N/A	Microglass - Anti-static	Fluoroelastomer (FPM)	Gasket Cap	Gasket Cap	150.876 mm	451.485 mm
<u>7630121</u>	AS-6000-185V,ANTISTAT,ELEMENT	N/A	Microglass - Anti-static	Fluoroelastomer (FPM)	Gasket Cap	Gasket Cap	150.876 mm	451.485 mm
<u>7604977</u>	AS-6000-3610V,ANTISTAT,ELEMENT	N/A	Microglass - Anti-static	Fluoroelastomer (FPM)	Gasket Cap	Gasket Cap	150.876 mm	907.542 mm
<u>7604978</u>	AS-6000-363V,ANTISTAT,ELEMENT	N/A	Microglass - Anti-static	Fluoroelastomer (FPM)	Gasket Cap	Gasket Cap	150.876 mm	907.542 mm
<u>7604979</u>	AS-6000-365V,ANTISTAT,ELEMENT	N/A	Microglass - Anti-static	Fluoroelastomer (FPM)	Gasket Cap	Gasket Cap	150.876 mm	907.542 mm
<u>7621269</u>	SBF-2000-20Z10B,ELEMENT	N/A	Microglass	Nitrile Rubber (NBR)	O-Ring Cap	O-Ring Cap	142.24 mm	515.112 mm
SBF-								

Part Number	Model Code Description	Absolute Filter Rating	Media Type	Seal	Cap 1 Type	Cap 2 Type	Outside Diameter	Length
<u>7621270</u>	2000-20Z10V, ELEMENT	N/A	Microglass	Fluoroelastomer (FPM)	O-Ring Cap	O-Ring Cap	142.24 mm	515.112 mm
<u>7621271</u>	SBF-2000-20Z1B, ELEMENT	N/A	Microglass	Nitrile Rubber (NBR)	O-Ring Cap	O-Ring Cap	142.24 mm	515.112 mm
<u>7621272</u>	SBF-2000-20Z1V, ELEMENT	N/A	Microglass	Fluoroelastomer (FPM)	O-Ring Cap	O-Ring Cap	142.24 mm	515.112 mm
<u>7621273</u>	SBF-2000-20Z25B, ELEMENT	N/A	Microglass	Nitrile Rubber (NBR)	O-Ring Cap	O-Ring Cap	142.24 mm	515.112 mm
<u>7621274</u>	SBF-2000-20Z25V, ELEMENT	N/A	Microglass	Fluoroelastomer (FPM)	O-Ring Cap	O-Ring Cap	142.24 mm	515.112 mm
<u>7621275</u>	SBF-2000-20Z3B, ELEMENT	N/A	Microglass	Nitrile Rubber (NBR)	O-Ring Cap	O-Ring Cap	142.24 mm	515.112 mm
<u>7621276</u>	SBF-2000-20Z3V, ELEMENT	N/A	Microglass	Fluoroelastomer (FPM)	O-Ring Cap	O-Ring Cap	142.24 mm	515.112 mm
<u>7621277</u>	SBF-2000-20Z5B, ELEMENT	N/A	Microglass	Nitrile Rubber (NBR)	O-Ring Cap	O-Ring Cap	142.24 mm	515.112 mm

Part Number	Model Code Description	Absolute Filter Rating	Media Type	Seal	Cap 1 Type	Cap 2 Type	Outside Diameter	Length
<u>7621278</u>	SBF- 2000- 20Z5V,E LEMEN T	N/A	Microgla ss	Fluoroel astomer (FPM)	O-Ring Cap	O-Ring Cap	142.24 mm	515.112 mm